



Introduction

Midtherm Flue Systems Limited is an independent British manufacturing company producing a wide range of flue and chimney products, along with associated components and services. Established for over 30 years, Midtherm products are installed worldwide including Poland, Oman, Libya, Hong Kong, China and the USA.

Quality Assurance

All products are controlled by a Quality Assurance System certified to ISO 9000.



Certificate No 5458

Product

Pellet Burning Flue chimney is manufactured with the following specification using the latest manufacturing and welding technology ensuring high quality and value for money.

316 inner 304 outer with 35mm insulation

Colours

To help integrate external flue sections into the appearance of a building, PBF can be stove enamelled or powder coated to any BS or RAL Colour code.

General Notes

1. An increase in fuel consumption, smoke in the building, evidence of sooting, difficulty in lighting, and staining around the appliance casing generally indicates a problem either with the appliance or a blockage in the system may have occurred.
2. Do not use cleaning chemicals on the flue.
3. Do not block or obstruct flue outlets or chimneys.
4. Do not cover an appliance.
5. Running appliances on constant low heat produces an increased level of condensation and may shorten the life of the product.

Midtherm flue and chimney products available for use on domestic appliances


Single Wall 316 stainless steel ridged liner, available in 1mm and 22g
Vitrelux Vitreous enamel flue pipe available in gloss white, gloss black, gloss brown and Matt black finish
GV Gas Vent Class 2 chimney including Gas Flue boxes
LTZ twin wall insulated chimney for oil fired appliances
HT Plus twin wall insulated chimney suitable for use with all fuels, Class 1
Lead Slates
Terminals & Draught Divertors
Gas & Oil flexible liner packs
Euroflex multifuel liner 0.12mm thick 10 year warranty
Midflex multifuel flexible liner 904L 25 year warranty
Midtherm Rotorvent
Aquarius flashing

Lengths and Tees



Lengths

Length	Installed Length	Item Code
1000mm	940	01
500mm	440	02
300mm	270	03
Adj 257-384mm	80/130-100/150	04



90° Tee

Item Code 06


Dia.	80	100
A	440	440
B	140	150
C	242	242



45° Tee

Item Code 07

Dia.	80	100
A	423	458
B	228	248



Tee Cap

Item Code 08

Dia.	80	100
A	90	90

With Drain Point


Elbows



45° Elbow

Item Code 09

Dia.	80	100
A	130	135
B	130	135




30° Elbow

Item Code 10

Dia.	80	100
A	110	115
B	110	115


Flashings & Terminals



Flat Roof Plate (Aluminium)

Item Code 12

Dia.	80	100
A	456	456
B	130	150



Adjustable Roof Plate (Aluminium)

Item Code 13

Dia.	80	100
A	610	610
B	130	150

Storm Collar (Cravat Type)

Item Code 14



PRODUCED IN ALUMINIUM

Storm Collar (Washer Type)

Item Code 15



PRODUCED IN ALUMINIUM

Standard Cowl

Item Code 16



Dia.	80	100
A	250	300
B	190	190

Term/Anchor Plate

Item Code 19



Top Stub

Item Code 20



Dia.	80	100
A	190	190


Universal Cowl (Gas Only)

Item Code 18



Dia.	80	100
A	325	375
B	250	270


Support Components



Intermediate Wall Support S/S

Item Code 23

Dia.	80	100
A	268	293
B	300	350



Support Plate S/S

Item Code 24

Dia.	80	100
A	268	293



Guy Wire Bracket S/S

Item Code 25



Wall Band S/S

Item Code 26



Wall Bracket Adjustable S/S

Item Code 27

Gives 50-100mm Adjustable Clearance from wall

Sundry Components



SW-TW Adaptor

Item Code 28

Dia.	80	100
A	160	160



Fire Stop Spacer

Item Code 30



Guy Wire Kit

Item Code 31



Draught Stabilizer

Item Code 32



Locking Bands

Item Code 33

Dia.	80	100
A	40	40



Midtherm Flue Systems Limited
New Road, Netherton
Dudley, West Midlands DY2 8SY
Tel: 01384 458800 Fax: 01384 458811

Email: sales@midtherm.co.uk
Web Page: www.midtherm.co.uk